



RESPONSE CODES AND FACILITY TYPES

Below is the list of responses (aka Actions) members will use when responding to the locate request through OKIE811 Portal. There is also a comments box where members can include additional notes. The comments should include details regarding conversations, action taken to respond, problems or issues regarding the ticket etc.

| Codes | Action Title | Definition | Comments |
|-------|--------------------------------|---|----------|
| 1 | Site Marked | <i>Facility located and marked at the site</i> | Optional |
| 2 | Clear | <i>Facility is not in conflict with dig site described on the ticket</i> | Optional |
| 3 | Other | <i>Explanation in comments</i> | Required |
| 4 | Partially Marked/Large Project | <i>Facility owner and excavator have agreed and documented a marking schedule, marked based on agreement</i> | Required |
| 5 | No Access/Not Marked | <i>Unable to access dig site and unable to reach excavator</i> | Required |
| 6 | Correction Required/Not Marked | <i>Please call OKIE811 and provide additional or correct information</i> | Required |
| 7 | Critical Facility/In Conflict | <i>Facility representative contacted excavator to agree on excavation time as owner/operator must be present during excavation to identify facility and/or monitor excavation</i> | Required |
| 9 | No Response | <i>No response received via the OKIE811 Positive Response Service during the 14-day life of a ticket. This is an auto-generated response.</i> | n/a |
| 13 | Cancel Request | <i>Cancel Request - Ticket canceled by excavator. Responder Comments: Original Ticket _____ was canceled at Excavator Request. This is an auto-generated response.</i> | n/a |
| 14 | Ticket Type Extend | <i>Excavator states marks still visible and refresh not needed. If marks need refreshed excavator must submit new locate request.</i> | Optional |
| 15 | Maps Provided | <i>Facility representative provided mapping files to Design – Survey Requestee</i> | Required |



RESPONSE CODES AND FACILITY TYPES

Below is a list of facility types available for Positive Response Configuration. A configuration is set up for each facility type registered with OKIE811, so that separate responses can be provided for each facility type. Members are required to provide a response for each facility type included on their positive response configuration.

| Registered Facility Types |
|---------------------------|
| Electric |
| Gas |
| Other |
| Pipeline |
| Sewer |
| Telecom |
| Water |